L Number	Hits	Search Text	DB	Time stamp
1	4502	345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:08
2	2360	context ADJ sensitive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
3	138	(345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
4	109	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
5	10846	plurality ADJ components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
6	8172	user ADJ interaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
7	97	(plurality ADJ components) and (user ADJ interaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
9	77	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
10	18	(user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:11
11	36206	first ADJ memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:17
12	35334	second ADJ memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:18
13	29180	access ADJ time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:19

14	4760	first SAME (access ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:20
15	3795	second SAME (access ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:22
16	730	(first ADJ memory) and (first SAME (access ADJ time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:22
17	549	(second ADJ memory) and (second SAME (access ADJ time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:23
18	0	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((first ADJ memory) and (first SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:23
19	0	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((second ADJ memory) and (second SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
20	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and ((first ADJ memory) and (first SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
21	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and ((second ADJ memory) and (second SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
23	6493	access ADJ times	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:25
24	0	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and (access ADJ times)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:26

27	6	((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:27
28	11	retrieve ADJ help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:27
29	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (retrieve ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
30	6	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
31	6	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and display) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
32	910	help ADJ function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:29
33	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (help ADJ function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
34	4	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
35	672	display ADJ help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
36	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (display ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
37	0	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and (display ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
39	4	(((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and shown) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:33
40	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and background	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:34

C:\APPS\east\workspaces\09702524.wsp

41	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:35
42	0	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and registry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:35
43	5	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and registry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:36
44	5	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and registry) and identifiers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:36
8	3	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:44
45	1417	(context ADJ sensitive) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:44
46	109	(345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:44
47	18	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:02
22	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:03
26	6	(user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:07

C:\APPS\east\workspaces\09702524.wsp

48	0	(access ADJ times) and ((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:08
49	2800	(access ADJ times) and memories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:09
50	55	((access ADJ times) and memories) and GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:09
51	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help)) AND (((access ADJ times) and memories) and GUI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:10
52	47	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help)) AND GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:11
53	5	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help)) AND GUI) AND MEMORIES	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:11
25	22	(context ADJ sensitive) and (access ADJ times)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:21
54	109	(345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:22
55	0	(access ADJ times) AND ((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:22
38	4	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and shown	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:30
56	29180	access ADJ time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:31

57	524576	period ADJ time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:32
58	8	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help)) and (access ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:32
59	29	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help)) and (period ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:39
60	7	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help)) and (period ADJ time)) and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:42
61	25	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help)) and (period ADJ time)) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:42

L Number	Hits	Search Text	DB	Time stamp
1	4502	345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:08
2	2360	context ADJ sensitive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
3	138	(345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
4	109	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
5	10846	plurality ADJ components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
6	8172	user ADJ interaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
7	97	(plurality ADJ components) and (user ADJ interaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
9	77	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
10	18	(user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:11
11	36206	first ADJ memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:17
12	35334	second ADJ memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:18
13	29180	access ADJ time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:19

14	4760	first SAME (access ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:20
15	3795	second SAME (access ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:22
16	730	(first ADJ memory) and (first SAME (access ADJ time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:22
17	549	(second ADJ memory) and (second SAME (access ADJ time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:23
18	0	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((first ADJ memory) and (first SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:23
19	0	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((second ADJ memory) and (second SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
20	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and ((first ADJ memory) and (first SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
21	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and ((second ADJ memory) and (second SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24 ·
23	6493	access ADJ times	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:25
24	0	((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and (access ADJ times)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:26

27	6	((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:27
28	11	retrieve ADJ help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:27
29	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (retrieve ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
30	6	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
31	6	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and display) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
32	910	help ADJ function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:29
33	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (help ADJ function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
34	4	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
35	672	display ADJ help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
36	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (display ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
37	0	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and (display ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
38	4	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and shown	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
39	4	(((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and shown) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:33

40	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and background	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:34
41	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:35
42	0	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and registry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:35
43	5	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and registry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:36
44	5	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and registry) and identifiers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:36
8	3	((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:44
45	1417	(context ADJ sensitive) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:44
46	109	(345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:44
47	18	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:02

22	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:03
26	6	(user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:07
48	0	(access ADJ times) and ((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:08
49	2800	(access ADJ times) and memories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:09
50	55	((access ADJ times) and memories) and GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:09
51	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help)) AND (((access ADJ times) and memories) and GUI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:10
52	47	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or·345/862) and ((context ADJ sensitive) and help)) AND GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:11
53	5	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and ((context ADJ sensitive) and help)) AND GUI) AND MEMORIES	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:11
25	22	(context ADJ sensitive) and (access ADJ times)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:21
54	109	(345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:22
55	0	(access ADJ times) AND ((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) AND ((context ADJ sensitive) and help))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 13:22

L Number	Hits	Search Text	DB	Time stamp
1	4502	345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:08
2	2360	context ADJ sensitive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
3	138	(345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
4	109	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
5	10846	plurality ADJ components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:09
6	8172	user ADJ interaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
7	97	(plurality ADJ components) and (user ADJ interaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
8	3	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
9	77	(((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:10
10	18	(user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:11
11	36206	first ADJ memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:17
12	35334	second ADJ memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:18

13	29180	access ADJ time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:19
14	4760	first SAME (access ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:20
15	3795	second SAME (access ADJ time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:22
16	730	(first ADJ memory) and (first SAME (access ADJ time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:22
17	549	(second ADJ memory) and (second SAME (access ADJ time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:23
18	0	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((first ADJ memory) and (first SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:23
19	0	((user ADJ interaction) and ((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and components)) and ((second ADJ memory) and (second SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
20	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and ((first ADJ memory) and (first SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
21	0	((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and ((second ADJ memory) and (second SAME (access ADJ time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:24
22	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:25

23	6493	access ADJ times	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:25
24	0	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and (access ADJ times)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:26
25	22	(context ADJ sensitive) and (access ADJ times)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:26
26	6	(user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:26
27	6	((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:27
28	11	retrieve ADJ help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:27
29	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (retrieve ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
30	6	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
31	6	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and display) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:28
32	910	help ADJ function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:29
33	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (help ADJ function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
34	4	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30
35	672	display ADJ help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:30

36	0	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and (display ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
37	0	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and (display ADJ help)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
38	4	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and shown	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:31
39	4	(((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and cache) and shown) and help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:33
40	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and background	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:34
41	1	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:35
42	0	(((((345/705 or 345/707 or 345/708 or 345/709 or 345/710 or 345/712 or 345/714 or 345/747 or 345/745 or 345/744 or 345/748 or 345/760 or 345/157 or 345/856 or 345/859 or 345/860 or 345/862) and (context ADJ sensitive)) and help) and ((plurality ADJ components) and (user ADJ interaction))) and memories) and registry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:35
43	5	(((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and registry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:36
44	5	((((user ADJ interaction) and ((context ADJ sensitive) and (access ADJ times))) and determination) and registry) and identifiers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 12:36